

Turbo-Vent




SUITABLE FOR MOTORHOMES, CARAVANS AND VAN CONVERSIONS



Classic rooflight with 12 V DC variable speed motor.

FEATURES:

- Internal and external frame in new neutral white colour
- 40x40 cm
- Available in White and Crystal versions
- Standard mosquito net, optional blind



O1 Aerodynamic
Its shape means that no spoiler is needed

O2 Installation
With through screws, wide and reinforced frame

O3 Permanent ventilation
For constant exchange of air

O4 Opening system
With handy handwheel

O5 Mosquito net
In aluminium as standard



Description	Turbo-Vent	
Item No.	03623F02-	03623F02D
Cover	White	Crystal
Weight	4,6 kg	
Roof thickness (min - max)	3,0 - 4,5 cm	
Roof thickness with Kit Extension min.-max.	4,5 - 8,5 cm	
Feeding tension	12 V	
Absorbed power	36 W	
Min. electric input	0,3 A	
Max electric input	3 A	
Max air flow	35 m ³ /min	
Fan diameter	30 cm	
Permanent air flow	80 cm ²	

Turbo-Vent Premium




SUITABLE FOR MOTORHOMES, CARAVANS AND VAN CONVERSIONS



Rooflight with motor where all functions are activated by a simple finger touch. Convenient electronic interface with signal LEDs.

FEATURES:

- Internal and external frame in new neutral white colour
- 40x40 cm
- Available in White and Crystal versions
- Standard mosquito net, optional blind



O1 Aerodynamic
Its shape means that no spoiler is needed

O2 Installation
With through screws, wide and reinforced frame

O3 Permanent ventilation
For constant exchange of air

O4 Opening system
With handy handwheel

O5 Mosquito net
In aluminium as standard



Description	Turbo-Vent Premium	
Item No.	03623H02-	03623H02D
Cover	White	Crystal
Weight	4,6 kg	
Roof thickness (min - max)	3,0 - 5,0 cm	
Roof thickness with Kit Extension min.-max.	5,1 - 8,5 cm	
Feeding tension	12 V	
Absorbed power	36 W	
Min. electric input	0,3 A	
Max electric input	3 A	
Max air flow	35 m ³ /min	
Fan diameter	30 cm	
Permanent air flow	80 cm ²	